



**Invacare® TDX™ SP Van Seat  
Power Wheelchair  
Suggested Canadian Price List  
Effective October 9th, 2006  
Revised June 18th, 2007  
\* UPDATED - DENOTES CHANGES**

NAME \_\_\_\_\_ PHONE NO \_\_\_\_\_  
 ACCOUNT # \_\_\_\_\_ P.O. \_\_\_\_\_ DATE \_\_\_\_\_  
 ADDRESS \_\_\_\_\_

**BASE**

**CHAIR TYPE**

- 1  TDXSP TDX SP with MK6i™ ..... \$6,995
- 1  TDXSPBASE TDX SP Base Only with MK6i™ ..... \$6,995
- TDXSPSEAT TDX Seat Only..... See Seat Selection

**TRANSPORT TIE DOWN**

- TRBKTS Wheelchair Transport Brackets ..... \$325

**USER WEIGHT LIMITS**

- 2  U300 User Weight <300 lbs..... No Charge
- 3  U400 User Weight <400 lbs..... \$512

**WHEEL OPTION**

- 1430-3 14" X 3" Pneumatic Tires..... **Standard**
- 1431-3 14" X 3" w/Foam Filled Inserts..... \$184

**FORK OPTION**

- FKPKG One-sided Fork Package..... \$606

**FRAME FINISH**

**CONTEMPORARY**

- 24P Wet Black..... No Charge
- 60P Silver Metallic..... No Charge
- 71P Silver Vein..... No Charge
- 105P Midnight Blue..... No Charge
- 115P Black Prism..... No Charge

**TOO HOT**

- 30P Sunny Yellow..... No Charge
- 61P Electric Red..... No Charge
- 119P Bubblegum Pink..... No Charge
- 120P Grape Madness..... No Charge

**WAY COOL**

- 62P Electric Blue..... No Charge
- 104P Electric Teal..... No Charge
- 121P Lolly Pop Blue..... No Charge
- 122P Cosmic Blue..... No Charge
- 125P Emerald Green..... No Charge
- 127P Grasshopper Green..... No Charge

**\* TRANSPORT TIE-DOWN**

TRBKTS includes four factory-installed wheelchair transport brackets. TRBKTS has not been crash-tested in accordance with WC19. Use these transport brackets only to secure an unoccupied wheelchair during transport.

As of this date, the Department of Transportation has not approved any tie-down systems for transportation of a user while in a wheelchair, in a moving vehicle of any type. It is Invacare's position that users of wheelchairs should be transferred into appropriate seating in vehicles for transportation and use be made of the restraints made available by the auto industry. Invacare cannot and does not recommend any wheelchair transportation systems.

\* Transport Tie-Down option is not retrofittable to existing models and is not field serviceable.

**FOOTNOTES**

- 1 TDXSP comes standard with: 300lbs. User Weight capacity, 5.8 MPH top speed, 4 pole motor package, MK6i SPJ + joystick , MK690 Controller, Quiet Stability Lock. Base only comes standard with MK690ACC Controller. Additional joystick options available.
- 2 Package includes 4 pole motors and 6 MPH top speed with <300 lbs. user weight limit.
- 3 Package includes 4 pole motors and 5 MPH top speed with <400 lbs. user weight limit.

**SEAT**

<input checked="" type="checkbox"/>	<b>VAN SEAT</b>	Van Seat.....	\$1,024
<input type="checkbox"/>	<b>VW16</b>	16" Seat Wide Van Seat.....	No Charge
<input type="checkbox"/>	VD16	16" Seat Depth.....	No Charge
<input type="checkbox"/>	VD17	17" Seat Depth.....	No Charge
<input type="checkbox"/>	VD18	18" Seat Depth.....	No Charge
<input type="checkbox"/>	<b>VW18</b>	18" Seat Wide Van Seat.....	<b>Standard</b>
<input type="checkbox"/>	VD16	16" Seat Depth.....	<b>Standard</b>
<input type="checkbox"/>	VD17	17" Seat Depth.....	No Charge
<input type="checkbox"/>	VD18	18" Seat Depth.....	No Charge
<input type="checkbox"/>	<b>VW20</b>	18" Seat Wide Van Seat.....	\$209
<input type="checkbox"/>	VD18	18" Seat Depth.....	No Charge
<input type="checkbox"/>	VD19	19" Seat Depth.....	No Charge
<input type="checkbox"/>	VD20	20" Seat Depth.....	No Charge
<input type="checkbox"/>	<b>VW22</b>	18" Seat Wide Van Seat.....	\$209
<input type="checkbox"/>	VD18	18" Seat Depth.....	No Charge
<input type="checkbox"/>	VD19	19" Seat Depth.....	No Charge
<input type="checkbox"/>	VD20	20" Seat Depth.....	No Charge

**VAN UPHOLSTERY**

<input type="checkbox"/>	GC	Grey Cloth.....	No Charge
<input type="checkbox"/>	GV	Grey Vinyl.....	No Charge
<input type="checkbox"/>	TV	Tan Vinyl.....	No Charge

**SEAT STYLE**

<input type="checkbox"/>	SEMIR	Semi Recline.....	<b>Standard</b>
<input type="checkbox"/>	SEMIRB	Semi Recline with Solid Base.....	No Charge

**4 ARM TYPE**

<input type="checkbox"/>	VAH	Full Length, Adjustable Height.....	No Charge
<input type="checkbox"/>	VFH	Full Length, Fixed Height.....	<b>Standard</b>
<input type="checkbox"/>	VAHD	Desk Length, Adjustable Height.....	No Charge
<input type="checkbox"/>	VFHD	Desk Length, Fixed Height.....	No Charge

**SEAT POSITIONING STRAPS**

<input type="checkbox"/>	1311BK	Airline Buckle Seat Positioning Strap.....	\$79
<input type="checkbox"/>	1515	Auto Style Seat Positioning Strap.....	<b>Standard</b>

**CHEST POSITIONING STRAPS**

<input type="checkbox"/>	7311BK	Airline Buckle Chest Positioning Strap.....	\$79
<input type="checkbox"/>	9515	Auto Style Chest Positioning Strap.....	\$79
<input type="checkbox"/>	7321BK	Hook & Loop Chest Positioning Strap.....	\$61

**ELECTRONICS**

**MK6i™ CONTROLLERS**

<input type="checkbox"/>	MK690	90 AMP Controller.....	Standard
--------------------------	-------	------------------------	----------

**STANDARD DRIVER CONTROL**

<input type="checkbox"/>	SPJPLUS	SPJ+ Single Drive Joystick.....	Standard
--------------------------	---------	---------------------------------	----------

**5 BASE ONLY SPJ+ OPTIONS**

<input type="checkbox"/>	SPJAP	SPJ+ With Powered Seating Switch.....	Standard
6 <input type="checkbox"/>	SPJAPM	Single Actuator Operation through SPJ+.....	\$1,535

**MULTIPLE DRIVE CONTROL OPTIONS**

<input type="checkbox"/>	MPJM6U	MPJ+ Multiple Joystick Drive Joystick.....	\$956
7 <input type="checkbox"/>	PSFM6U	Personal Switch - Front Mount.....	\$956
7 <input type="checkbox"/>	PSRM6U	Personal Switch - Rear Mount.....	\$956
9 <input type="checkbox"/>	PBOD	Push Button On/Off w/PB Drive Select.....	\$84
8,9 <input type="checkbox"/>	PBSS	Button On/Off w/Speed Select.....	\$84
9 <input type="checkbox"/>	OR	On/Off Right.....	No Charge
9 <input type="checkbox"/>	OL	On/Off Left.....	No Charge

**JOYSTICK MOUNTING HARDWARE**

<input type="checkbox"/>	QLM6	Quad Link Retract Joystick Mount MPJ+.....	\$334
<input type="checkbox"/>	LEFT	Left Hand Mounted Joystick.....	No Charge
<input type="checkbox"/>	QL	Quad Link Retract Joystick Mount SPJ+ Van.....	\$334

**FOOTNOTES**

- 4 Arms are flip up and adjustable width.
- 5 Base Only Systems for Multiple Actuator Powered Seating Systems will require MPJ+, PSR+, PSF+, or MK6i Display & Alternative Driver Control.
- 6 Allows actuator Operation through Driver Control. Includes Egg Switch for attendant control.
- 7 TOD-SS: Toggle On/Off-Drive Select, Speed Potentiometer Standard.
- 8 Drive Select through mode switch, or mode switch and Joystick Command.
- 9 PSRM6 Only.

**ELECTRONIC ACCESSORIES**

<input type="checkbox"/>	1813M6	MK6i Programmer w/Pro Memory Card.....	<b>\$575</b>	<b>* UPDATED - 06/18/2007 - Increase in Price</b>
<input type="checkbox"/>	1813SD	Pro Memory Card.....	\$105	
<input type="checkbox"/>	1560	"T" Handle Flexible Joystick Extension.....	\$86	
<input type="checkbox"/>	1561	Straight Handle Flexible Joystick Extension.....	\$64	
<input type="checkbox"/>	A24VPS	24V MK6i Auxiliary Power Source.....	\$235	
10 <input type="checkbox"/>	MPY	Mono Port "Y" Cable.....	\$20	

**FOR ALL YOUR ASL DRIVE SYSTEM NEEDS PLEASE REFER TO THE FOLLOWING ASL PRICE LIST FORM 05-220C**

**MISCELLANEOUS**

**MISCELLANEOUS ACCESSORIES**

<input type="checkbox"/>	1303	Wheel Locks.....	\$81
<input type="checkbox"/>	VAN02	Oxygen Holder (Van Seat Only).....	\$236

**11 BATTERIES**

<input type="checkbox"/>	22TRY	22NF Style Tray.....	<b>Standard</b>
<input type="checkbox"/>	24TRY	24 Group Style Tray.....	No Charge

**BATTERIES**

<input type="checkbox"/>	22NFBATTERY	22NF Battery (On Chair).....	\$534
<input type="checkbox"/>	24 BATTERY	24 Gel Battery (On Chair).....	\$654

**12 FRONT RIGGING**

**CENTRE MOUNT**

13 <input type="checkbox"/>	CTMT-F	Centre Mount Adj. Knee Angle 12 1/4"-15".....	\$262
14 <input type="checkbox"/>	CTMT-FJ	Junior Centre Mount Adj. Knee Angle 9 1/4"-12".....	\$262

**CENTRE PIVOT STYLE**

15 <input type="checkbox"/>	70NHD	70° Swingaway Footrests (Steel).....	\$225
16 <input type="checkbox"/>	70STAPER	70° Tapered Footrests (Aluminum).....	\$262
17 <input type="checkbox"/>	AT5544	Manual Elevating Legrests (Aluminum).....	\$529

**PIN STYLE HEMI**

<input type="checkbox"/>	PHW93	70° Swingaway Footplates (Steel).....	\$163
<input type="checkbox"/>	PHAL4A	Manual Articulating/Elevating Legrests (Steel).....	\$366

**FOOTBOARD**

<input type="checkbox"/>	90FB	Footboard.....	\$209
--------------------------	------	----------------	-------

**FOOTPLATE OPTIONS (PAIR)**

<input type="checkbox"/>	1651	Composite Footplates.....	No Charge
19 <input type="checkbox"/>	1350	Extra Large Aluminum Footplates.....	\$99
20 <input type="checkbox"/>	AT5543	Adjustable Angle Flip Up Footplates.....	\$122
21 <input type="checkbox"/>	FBCTMT	Footboard for Center Mount.....	\$262

**FOOTREST/LEGREST ACCESSORIES**

<input type="checkbox"/>	1337	Calf Strap.....	\$59
<input type="checkbox"/>	1600BK	Heel Loops With Ankle Straps.....	\$79
<input type="checkbox"/>	LPT2	Longer Pivot Slide Tube For 1350.....	\$123
<input type="checkbox"/>	IMPACTG	Impact Guards.....	No Charge
<input type="checkbox"/>	ALPT	Longer Pivot And Slide Tube.....	\$123
<input type="checkbox"/>	ALPT4	Longer Pivot and Slide Tube 4".....	\$123

**FOOTNOTES**

10 For use with MPJ+ or MK6iDisplay to provide additional switch site.

11 22TRY Base Width 24"; 24TRY Base Width 25.5".

12 All Front rigging options include a standard footplate with the exception of the 70NHD.

13 Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 12.5" - 15".

14 Allows 60 to 90 degree static knee angle positioning with a drop back lever for easier transferring. Extension range 9.25" - 12".

15 With seat widths of 21" - 24" and depth of 16", must pick footplates 1350.

16 Standard with impact guards. Not available with widths 19" - 24" and 16" deep seat.

17 Not available with 16" wide by 16" - 18" deep or 17" wide by 16" deep and low seat-to-floor.

18 Not available with AT5544 and 17" wide by 16" deep and low seat-to-floor.

19 Not available with AT5544 and 16" wide by 16" - 18" deep or 17" wide by 16" deep and low seat-to-floor.

21 One piece footboard for Center Mount (CTMT/CTMT-L) Riggings.

TDX SP Specifications		
<b>Seat Width Range:</b>	(In 1" increments) <b>ADULT (Adjust)</b> 16 to 22-inches	
<b>Seat Depth Range:</b>	16 to 20-inches	
<b>Back Height Range:</b>	12 to 24-inches	
<b>Back Angle Range:</b>	85° to 105° in 5° increments	
<b>Seat-to-Floor (approximate)</b>		
Standard:	19.5-inches	
<b>Overall Width of Base:</b>	24-inches (w/o joystick)	
<b>Overall Height:</b>		
Semi-Recline:	38-inches (w/o headrest)	
Semi-Recline:	45-inches (w/ headrest)	
<b>Overall Length:</b>	35.25-inches w/o front rigging	43-inches w/ 90° front rigging
<b>Weight</b>		
<b>4 Pole Motor:</b>		
	W/O 22NF Batteries:	179 lbs.
	With two (2) 22NF Batteries:	277 lbs.
<b>Drive Axle:</b>	Non-Adjustable	
<b>Drive Wheels/Tires:</b>	(Foam Filled or Pneumatic) Standard: 14 X 3-inches	

**FOR YOUR SEATING NEEDS  
PLEASE REFER TO THE FOLLOWING  
REHAB SEAT AND BACK CUSHIONS  
SEE PRICE LIST FORM # 05-338C.**

**Batteries  
(not included)**

**22NF** batteries with terminal configuration (positive on the left and negative on the right) **MUST** be used. 22NF batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection.

**GP24** batteries with terminal configuration (negative on the left and positive on the right) **MUST** be used. GP24 batteries that have the reverse terminal configuration **MUST** not be used. Terminals **MUST** have a cross hole for proper battery connection. See Owner's Manual, part number 1114809. These recommendations **MUST** be followed otherwise injury and damage may occur.

**Weight Limit 300 Pounds**

Invacare recommends all wheelchairs be fitted and programmed to the consumer under the guidance of a health-care professional, knowledgeable of the particular limitations of the product.

**NOTE:** All weight limits are inclusive of add-on equipment and seat systems.

**Extended Warranty Information:**

Electrical Components: **2 Years**  
Motors (2 and 4-pole): **2 Years**  
GB Motors: **5 Years**

\* Warranty valid to original purchaser who purchases this product within Canada  
\* For more product warranty information, please refer to the product owner's manual

**\* UPDATED - 06/18/2007 - New Warranty Box**

Invacare Canada reserves the right to change prices and specifications without notice.

HEAD OFFICE - 570 Matheson Blvd, Unit# 8, Mississauga, ON L4G 4Z4 Phone: (905) 890-8300 (800) 668-5324(Canada) Fax: (905) 890-5244 (800) 668-5478(Canada)  
Regional Centre - 16769 Boul. Hymus, Kirkland, P.Q. H9H 3L4 Phones: (514) 630-6080 (800) 363-0137(P.Q.) Fax: (514) 630-6120  
Invacare®, and Yes, you can., are trademarks of Invacare Corporation.  
WWW.INVACARE.CA